

An Efficient Face-based Age Group Detector on a CPU using Two Perspective Convolution with Attention Modules

Adri Priadana, Muhamad Dwisnanto Putro and Kang-Hyun Jo

*Department of Electrical, Electronic, and Computer Engineering
University of Ulsan*

Ulsan, Korea

priadana3202@mail.ulsan.ac.kr, dputro@mail.ulsan.ac.kr, acejo@ulsan.ac.kr

Abstract—Age detection has become incredibly substantial in various scenarios such as video surveillance, forensic applications, and advertising platform. An age detector is expected to operate on low-cost devices or CPU devices to minimize the budget of the implementation system. This work presents an efficient face-based age group detector (Age-CPU) that can operate fluidly on a CPU. It proposes two perspectives convolution architecture with depthwise global attention modules (2PDG) on this detector. It applies two kernel sizes to consider different sizes of the feature area of the object reinforced with enhancing block. The depthwise layer on the attention module helps the architecture extract features more focused and deeply. It convolves each channel with an individual depthwise kernel. The architecture is trained and validated on the UTKFace and FG-NET datasets. 2PDG acquires competitive accuracy compared to other competitors' architectures on the datasets. Furthermore, the proposed detector can operate 100 frames per second on a CPU device, which is speedy to execute in real-time.

Index Terms—face-based age group, efficient detector, attention module, real-time detector, a CPU device

I. INTRODUCTION

Age detection technology has attracted a significant number of researchers. The objective of this technology is to estimate age group [1]–[3] or even exact age [4] as one of the facial attributes of a subject. The age group is obtained by dividing the full age range into several aging groups [2]. It is used as a target class in predicting the desired age group for various purposes, such as differentiating between adults and children for restriction purposes. Face-based age detection can be conducted by analyzing a face detected by a camera. Age detection has become incredibly substantial in various scenarios such as video surveillance, forensic applications [5], and advertising platforms [6]. Face-based age detectors commonly consist of a face detector and an age estimator. The face detector detects the face and obtains the face area from the images. The age estimator estimates the age based on the detected face area. An age estimator consists of a feature extractor and a classifier in modern techniques. Firstly, it is used to extract age features from the face. Secondly, it predicts the age or age group based on the extracted features.

The Convolutional Neural Network (CNN) is a technique used in many works [4], [7], [8] to implement age estimation

and has been proven to show good performance. Chen et al. [9] used a CNN architecture as a baseline for age estimation work. They modified the original AlexNet model and proposed a novel architecture called Attribute-Region Association Network (ARAN), generating 414 million parameters. Li et al. [8] proposed a CNN architecture called BridgeNet for age estimation consisting of local regressors and gating networks. The local regressors split the data space to settle heterogeneous data, and gating networks learn aware continuity weights. The BridgeNet architecture generates 120 million parameters.

As time goes by, many works aim to design a more efficient CNN architecture with fewer parameters to create a more efficient CNN architecture. Shen et al. [10] used the CNN technique integrated with Deep Differentiable Random Forests methods to perform age estimation. They proposed a deep regression forest (DRF) and a deep label distribution learning forest (DLDF). It generates only 14 million parameters. Another work [4] proposed an attention-based CNN architecture called attention-based dynamic patch fusion (ADPF). It consists of two separate CNN, the AttentionNet and the FusionNet model. The first model is used to dynamically locate and rank age-specific patches, and the second uses the discovered patches to predict the subject's age. The ADPF also generates only 14 million parameters. These two works show that the CNN architecture they developed has fewer the number of a parameter, which makes it more efficient.

The age detector is expected to run on low-cost devices or CPU devices to reduce the costs of the implementation system. Therefore, the light CNN architecture with very few parameters is required, making the detector more efficient and compatible with running in real-time on low-cost or CPU devices. The CNN architecture with a few parameters also makes the detector run faster. This work presents an efficient real-time face-based age group detector with a low parameter appropriate for a CPU device.

An efficient face-based age group detector (Age-CPU) proposed two perspectives convolution architecture with depthwise global attention modules (2PDG) that offer two view contextual ways reinforced with attention modules. It applies two kernel sizes to reckon different sizes of the feature area of




Fig. 2. The proposed depthwise global attention module. It is used to improve the quality of the feature map.

selecting interest features because it globally highlights each channel and uses it as a basis to determine which channels have rich interest features. It produces two vectors representing the feature summary of the corresponding channel. Further, a concatenation operation is applied to fuse these vectors.

In order to provide an opportunity on each channel to deepen learning without being impacted by information from other channels before summarizing, depthwise convolution is applied before the global pooling operations. It only convolves each channel with an individual depthwise kernel. After the concatenation operation, two sequential 1×1 convolution operations are applied to capture channel-wise dependencies fully. It will also capture the dependencies of two aggregation operations results. A dimensionality-reduction mechanism is used with a reduction ratio r at the first convolution layer to make it more efficient. A Leaky ReLU activation is also used after the first convolution layer to avoid the loss of valuable information because the activation considers the positive and negative values. The proposed depthwise global attention module equation is expressed as:

$$d(x, k) = W_D(x, k) \quad (1)$$

$$A(x, d) = x * \sigma(W_{C2}(\delta(W_{C1}(Co[Ga(d), Gm(d)])))) \quad (2)$$

where x is the input of the attention module, d is the output of the depthwise convolution layer, W_D is learnable parameters in the depthwise convolution layer, k is the kernel size applied in the depthwise convolution layer, Ga is the global average-pooling operation, Gm is the global max-pooling operation, Co is the concatenation operation, δ refers to the Leaky ReLU activation function, W_{C1} and W_{C2} are learnable parameters in the two 1×1 convolution layers, and σ indicates the Sigmoid function used to normalize the attention weights. The kernel size of the depthwise convolution layer depends on which

perspective the attention module will be applied. The kernel size is 3×3 or 5×5 .

C. Classification Module

This module is used to compute the probability of the age group class to predict the age group of the face detected by the camera. It consists of two dense layers. The first layer consists of 128 units with ReLU (Rectified Linear Unit) activation. The second layer consists of the Softmax activation function that generates the input vector to possibilities representing the prediction result class. The equation of the Softmax activation function is expressed as:

$$S(z_i) = \frac{e^{z_i}}{\sum_{j=1}^N e^{z_j}} \quad (i = 1, 2, \dots, N) \quad (3)$$

where z_1, z_2, \dots, z_N are the input values of the Softmax layer and the output value $S(z_i)$ represents the probability that the sample belongs to the i -th class. In order to prevent overfitting, a dropout operation also is performed before the second layer.

D. Face Detector

The face-based age group detector requires face detection as a preliminary process to obtain the face area as a Region of Interest (RoI) and feed it as an input for the detector architecture. In order to support the performance of the face-based age group detector, a face detector with efficient performance is required, mainly to perform in real-time scenarios. Therefore, the LWFCPU [16] face detector with light architecture is utilized in this work. It only applies twelve convolutional layers and generates a few parameters capable of running fast in real-time on low computing or CPU devices.

III. IMPLEMENTATION SETUP

The proposed architecture is implemented on Keras 2.3.1 and the Tensorflow 2.0 framework. It trained on the NVIDIA Tesla V100-PCIe 32GB as an accelerator and tested on Intel Core i7-9750H CPU @ 2.60GHz with 20GB RAM. The r in the attention module is empirically set to 4. The training and validation process is conducted on the UTKFace and FG-NET datasets with 300 number of epoch in the training stage. The initial learning rate is set to 10^{-3} and will be reduced to 75% when the accuracy does not improve every 20 epochs. The training uses a batch size of 256. Moreover, Adam is used as an optimizer to update the weight based on Categorical Cross-Entropy loss.

IV. EXPERIMENTAL RESULTS

The examination result of the proposed architecture on the datasets benchmark will be described in this section. The runtime efficiency, limitation, ablative study, and attention modules comparison are also described in this section.

A. Evaluation on Datasets

1) *UTKFace (Aligned and Cropped Faces)*: The dataset contains more than 23,000 facial images covering many variations such as expression, illumination, age, resolution, pose, etc. The age variations range from 0 to 116. Three commonly used settings and one proposed setting are adopted for this dataset evaluation. In the first setting, i.e., *Setting I*, following prior work [17], the dataset is divided into the two subsets with a random permutation split, 90% as training and 10% as testing sets. It will randomly reorder a collection of objects in a different order than the original or previous order. In this setting, five age groups are used as age class targets, 0-24, 25-49, 50-74, 75-99, and 100-116. In the second setting, i.e., *Setting II*, following prior work [18], the dataset is divided into the three subsets with a random permutation split, 80% as training, 10% as validation, and 10% as testing sets. In this setting, the same five groups as Setting I are used.

In the third setting, i.e., *Setting III*, following prior work [19], the dataset is divided into the three subsets with a random permutation split, 10,437 images as training, 3,252 images as a validation, and 10,719 images as testing. In this setting, seven age groups are used as age class targets, 0-3 as baby’s face, 4-12 as child’s face, 13-19 as teenager’s face, 20-30 as young’s face, 31-45 as adult’s face, 46-60 as middle-aged’s face, and 61-116 as senior’s face. The fourth setting, i.e., *Setting IV*, is used for our detector. This detector aims to distinguish between a child’s and an adult’s faces. In order to avoid an extreme separation between two classes, the dataset is divided into three age groups as age class targets, 0-11 as child’s face, 12-17 as teen’s face, and 18-116 as adult’s face. It is also divided into the two subsets with a random permutation split, 90% as training and 10% as testing sets.

In this dataset, results are conveyed based on two metrics. They are Mean Absolute Error (MAE) for the Setting I and Validation Accuracy (VA) for the Setting II-IV, which are shown in Table I and Table II, respectively. As can be seen in Setting I, 2PDG with only 459,605 parameters outperforms all competitor architectures that applied transfer learning mechanism. In Setting II-III, 2PDG achieves competitive performance based on the validation accuracy of the other architectures. For Setting II, 2PDG result is below [18], which differs only by 0.43, but it only generated about 50% less number of parameters. In Setting IV, the proposed architecture achieves the best performance concerning validation accuracy of the common architectures, especially of the two light architectures such as MobileNetV2 and SqueezeNet, which differed by 0.33 and 1.81, respectively. The proposed architecture also produces more efficiency than the other architectures according to the number of parameters.

2) *FG-NET*: The dataset comprises 1,002 facial images from 82 subjects covering illumination, expression, and pose variations. Every subject of this dataset has more than ten facial images. Following prior work [10], [20], it uses the leave-one-person-out (LOPO) and k-fold cross-validation techniques in this dataset. In every fold, facial images of one

TABLE I
EVALUATION RESULTS ON UTKFACE SETTING I DATASET

Architectures	Number of Parameters	MAE
ResNet50 with Transfer Learning [17]	23,597,957	9.66
InceptionV3 with Transfer Learning [17]	21,813,029	9.50
DenseNet with Transfer Learning [17]	7,042,629	9.19
2PDG	459,605	8.55

TABLE II
EVALUATION RESULTS ON UTKFACE SETTING II-IV DATASET

Architectures	Number of Parameters	VA (%)
UTKFace Setting II		
Best CNN [18]	963,069	79.12
2PDG	459,605	78.69
UTKFace Setting III		
Facenet [19]	-	56.90
FFNet [19]	-	64.00
MTCNN [19]	-	70.10
2PDG	459,863	65.07
UTKFace Setting IV		
VGG16 + Batch Normalization	39,786,819	95.27
VGG13 + Batch Normalization	34,472,003	95.82
VGG11 + Batch Normalization	34,417,795	95.48
ResNet50V2	23,570,947	95.10
InceptionV3	21,808,931	95.06
MobileNetV2	2,261,827	96.08
SqueezeNet + Batch Normalization	735,823	94.60
2PDG	459,347	96.41

subject are used for testing and the rest for the training process. There are 82 subjects on this dataset. Therefore, this evaluation process implements 82 fold, and the conveyed results are the average values. The evaluation result of this dataset reports according to the MAE metric, shown in Table III. It can be seen that 2PDG with the training setting achieves competitive performance and occupies the third-best ranking with 2,75 MAE, which differs only by 0.19 and 0.02 from the best and the second-best, respectively. Even so, the proposed architecture generates total parameters far below the competitors. Moreover, 2PDG reaches an MAE value under 3.00. It indicates that it can execute adequately even with a small dataset.

B. Runtime Efficiency and Limitation

Age-CPU with 2PDG architecture is designed to operate on low-cost devices or CPU devices to minimize the budget of the implementation system. With only 459,347 parameters, 2PDG can perform efficiently in real-time on CPU-based. It achieves 166 FPS in classifying face-based age group (Age Group Recognition) and 100 FPS in recognizing facial age group when integrated with face detection (Face Detection + Age Group Recognition). 2PDG becomes the most rapid detector on the CPU compared to other competitors, as shown in Table IV. Fig. 2 (a) shows the correct prediction results of the Age-CPU detector on the CPU. The green bounding box indicates a child’s face, the blue bounding box indicates a teen’s face, and the red indicates an adult’s face. As shown in

TABLE III
EVALUATION RESULTS ON FG-NET DATASET

Architectures	Loss Function	Optimizer	Number of Parameters	MAE
DEX [21]	Euclidean	-	120 M	4.63
Mean-Variance Loss [7]	Mean-Variance	SGD	20 M	4.10
GA-DLF [22]	-	-	138 M	3.93
LSDML [20]	-	-	44 M	3.92
ARAN [9]	Manually-designed	-	414 M	3.79
M-LSDML [20]	-	-	44 M	3.74
DLDLF [10]	Manually-designed	-	14 M	3.71
DRF [10]	Manually-designed	-	14 M	3.41
DAG-VGG16 [23]	-	-	24 M	3.08
DAG-GoogleNet [23]	-	-	131 M	3.05
ADPF [4]	Diversity & Age Estimation	SGD	14 M	2.86
BridgeNet [8]	Regression & KL Divergence	SGD	120 M	2.56
VGG16 + Batch Normalization	Mean Absolute Error	SGD	40 M	3.11
VGG16 + Batch Normalization	Categorical Cross Entropy	SGD	40 M	3.03
VGG16 + Batch Normalization	Mean Absolute Error	Adam	40 M	3.01
VGG16 + Batch Normalization	Categorical Cross Entropy	Adam	40 M	2.73
MobileNetV2	Categorical Cross Entropy	Adam	2.34 M	3.12
SqueezeNet + Batch Normalization	Categorical Cross Entropy	Adam	0.77 M	3.05
2PDG	Categorical Cross Entropy	Adam	0.47 M	2.75

TABLE IV
COMPARISON OF ARCHITECTURE SPEEDS ON CPU

Architectures	Age Group Recognition (FPS)	Face Detection + Age Group Recognition (FPS)
InceptionV3	31	27
ResNet50V2	35	32
VGG16 + Batch Normalization	38	33
VGG13 + Batch Normalization	45	38
VGG11 + Batch Normalization	50	41
MobileNet V2	56	46
Squeezenet + Batch Normalization	99	71
2PDG	166	100

TABLE V
ABLATIVE STUDY OF PROPOSED ARCHITECTURE

Settings	Number of Parameters	VA (%)	Age Group Recognition (FPS)	Face Detection + Age Group Recognition (FPS)
2P	456,579	95.49	201	113
2PG	458,195	95.95	170	103
2PDG	459,347	96.41	166	100

Fig. 2 (b), the proposed detector is still weak in predicting the age group on the face with yaw pose because the UTKFace dataset does not have many instances, especially on the face with yaw pose.

C. Ablative Study and Attention Modules Comparison

In this experiment, the performance of each proposed module is investigated by removing each of them, then measuring its performance and efficiency. It will reveal the influence of the presence of each proposed module. It uses the UTKFace Setting IV dataset in this investigation. According to the VA



(a)



(b)

Fig. 3. The correct prediction result (a) and the incorrect prediction results (b) of the Age-CPU detector.

metric, the result reports are shown in Table V. It can be seen that utilizing the proposed global attention module (2PG) can increase classification capability by 0.46%. Further, adding the depthwise convolution layer at the global attention module (2PDG) can increase classification capability by 0.46%. In

TABLE VI

COMPARISONS OF DIFFERENT ATTENTION METHODS WHEN USING PROPOSED TWO PERSPECTIVE NETWORK (2P) AS THE BACKBONE

Attention Modules	Number of Parameters	VA (%)	Age Group Recognition (FPS)	Face Detection + Age Group Recognition (FPS)
SE [24]	457,603	95.70	181	106
CBAM [25]	457,719	96.20	128	85
DG	459,347	96.41	166	100

addition, the use of the modules does not significantly reduce the efficiency of the architecture, which only decreases 13 FPS.

The proposed attention module is also compared with other lightweight attention methods such as Squeeze-and-Excitation (SE) [24] and Convolutional Block Attention Module (CBAM) [25], which is illustrated in Table VI. In order to perform a fair comparison, it applies the attention module in the proposed backbone (2P). The validation accuracy of the proposed attention module is higher than SE and CBAM, which differ by 0.71% and 0.21%, respectively. Based on speed, 2PDG ranks second best after SE, with a difference of only 6 FPS when integrated with face detection. CBAM ranks the lowest in terms of speed because this module consists of a channel and a spatial attention module.

V. CONCLUSION

This study proposes an efficient real-time face-based age group detector with lightweight architecture. It offers two perspectives convolution architecture with depthwise global attention modules (2PDG). The proposed depthwise global attention module is used to improve the quality of the feature map resulting from the previous operation. The 2PDG gained competitive accuracy compared to other competitors on the UTKFace and FG-NET datasets. As a result, the detector can operate at 100 FPS to recognize the age group of the face when working on a CPU device in real-time. The proposed attention module also gains the best performance compared with other attention modules such as SE and CBAM. In future work, the other facial age datasets will be explored, especially with various poses, to deal with yaw pose faces.

REFERENCES

- [1] K. Zhang, C. Gao, L. Guo, M. Sun, X. Yuan, T. X. Han, Z. Zhao, and B. Li, "Age group and gender estimation in the wild with deep ror architecture," *IEEE Access*, vol. 5, pp. 22 492–22 503, 2017.
- [2] M. T. B. Iqbal, M. Shoyaib, B. Ryu, M. Abdullah-Al-Wadud, and O. Chae, "Directional age-primitive pattern (dapp) for human age group recognition and age estimation," *IEEE Transactions on Information Forensics and Security*, vol. 12, no. 11, pp. 2505–2517, 2017.
- [3] A.-T. Mai, D.-H. Nguyen, and T.-T. Dang, "Real-time age-group and accurate age prediction with bagging and transfer learning," in *2021 International Conference on Decision Aid Sciences and Application (DASA)*. IEEE, 2021, pp. 27–32.
- [4] H. Wang, V. Sanchez, and C.-T. Li, "Improving face-based age estimation with attention-based dynamic patch fusion," *IEEE Transactions on Image Processing*, 2022.
- [5] F. Becerra-Riera, A. Morales-González, and H. Méndez-Vázquez, "A survey on facial soft biometrics for video surveillance and forensic applications," *Artificial Intelligence Review*, vol. 52, no. 2, pp. 1155–1187, 2019.
- [6] S. Suman and S. Urolagin, "Age gender and sentiment analysis to select relevant advertisements for a user using cnn," in *Data Intelligence and Cognitive Informatics*. Springer, 2022, pp. 543–557.
- [7] H. Pan, H. Han, S. Shan, and X. Chen, "Mean-variance loss for deep age estimation from a face," in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2018, pp. 5285–5294.
- [8] W. Li, J. Lu, J. Feng, C. Xu, J. Zhou, and Q. Tian, "Bridgenet: A continuity-aware probabilistic network for age estimation," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2019, pp. 1145–1154.
- [9] Y. Chen, S. He, Z. Tan, C. Han, G. Han, and J. Qin, "Age estimation via attribute-region association," *Neurocomputing*, vol. 367, pp. 346–356, 2019.
- [10] W. Shen, Y. Guo, Y. Wang, K. Zhao, B. Wang, and A. Yuille, "Deep differentiable random forests for age estimation," *IEEE transactions on pattern analysis and machine intelligence*, vol. 43, no. 2, pp. 404–419, 2019.
- [11] Z. Zhang, Y. Song, and H. Qi, "Age progression/regression by conditional adversarial autoencoder," in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2017, pp. 5810–5818.
- [12] T. F. Cootes, G. J. Edwards, and C. J. Taylor, "Active appearance models," *IEEE Transactions on pattern analysis and machine intelligence*, vol. 23, no. 6, pp. 681–685, 2001.
- [13] S. Ioffe and C. Szegedy, "Batch normalization: Accelerating deep network training by reducing internal covariate shift," in *International conference on machine learning*. PMLR, 2015, pp. 448–456.
- [14] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, "Dropout: a simple way to prevent neural networks from overfitting," *The journal of machine learning research*, vol. 15, no. 1, pp. 1929–1958, 2014.
- [15] J. Hu, L. Shen, S. Albanie, G. Sun, and E. Wu, "Squeeze-and-excitation networks," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 42, no. 8, pp. 2011–2023, 2020.
- [16] M. D. Putro, D.-L. Nguyen, and K.-H. Jo, "Lightweight convolutional neural network for real-time face detector on cpu supporting interaction of service robot," in *2020 13th International Conference on Human System Interaction (HSI)*. IEEE, 2020, pp. 94–99.
- [17] M. Akhand, I. Sayim, S. Roy, N. Siddique *et al.*, "Human age prediction from facial image using transfer learning in deep convolutional neural networks," in *Proceedings of International Joint Conference on Computational Intelligence*. Springer, 2020, pp. 217–229.
- [18] V. Sheoran, S. Joshi, and T. R. Bhayani, "Age and gender prediction using deep cnns and transfer learning," in *International Conference on Computer Vision and Image Processing*. Springer, 2020, pp. 293–304.
- [19] A. Das, A. Dantcheva, and F. Bremond, "Mitigating bias in gender, age and ethnicity classification: a multi-task convolution neural network approach," in *Proceedings of the european conference on computer vision (eccv) workshops*, 2018, pp. 0–0.
- [20] H. Liu, J. Lu, J. Feng, and J. Zhou, "Label-sensitive deep metric learning for facial age estimation," *IEEE Transactions on Information Forensics and Security*, vol. 13, no. 2, pp. 292–305, 2017.
- [21] R. Rothe, R. Timofte, and L. Van Gool, "Deep expectation of real and apparent age from a single image without facial landmarks," *International Journal of Computer Vision*, vol. 126, no. 2, pp. 144–157, 2018.
- [22] H. Liu, J. Lu, J. Feng, and J. Zhou, "Group-aware deep feature learning for facial age estimation," *Pattern Recognition*, vol. 66, pp. 82–94, 2017.
- [23] S. Taheri and Ö. Toygar, "On the use of dag-cnn architecture for age estimation with multi-stage features fusion," *Neurocomputing*, vol. 329, pp. 300–310, 2019.
- [24] J. Hu, L. Shen, S. Albanie, G. Sun, and E. Wu, "Squeeze-and-excitation networks," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 42, no. 8, pp. 2011–2023, 2019.
- [25] S. Woo, J. Park, J.-Y. Lee, and I. S. Kweon, "Cbam: Convolutional block attention module," in *Proceedings of the European conference on computer vision (ECCV)*, 2018, pp. 3–19.